



Business capabilities with up to 5,000 pages of pre-filled toner and an ultra-low cost per page<sup>1</sup>

Discover business-ready capabilities and savings with HP LaserJet Tank MFP 1602w All-in-One Printer pre-filled with up to 5,000 pages of Original HP Toner<sup>1</sup>





## Get high-quality printing with ultra-low cost per page

- Engineered for high-volume printing pre-filled with 5,000 pages of toner in the tank. <sup>1</sup>
- Help to save on refills with ultra high yield HP Toner Reload Kit.<sup>2</sup>
- Deliver exceptional quality with sharp text and bold blacks, page after page.

## Easy toner refill in 15 sec with Original HP Toner.

- Easily refill Original HP Toner in 15 seconds.<sup>3</sup>
- Less downtime with 2,500 and 5,000-page HP Toner refill options.<sup>1</sup>
- The Original HP Toner Reload Kit has an unique design, made with over 75% less plastic.<sup>4</sup>

### Full features for versatile productivity.

- Maximise your uptime with print speeds up to 22ppm.
- Easily handle tasks and get a lot from one device print, scan, copy.
- Print, scan, and share anytime, anywhere with HP Smart app.<sup>5</sup>
- Low maintenance with long-life up to 50,000 page imaging drum.<sup>5</sup>

# **Product walkaround**

## HP LaserJet Tank MFP 1602w Printer shown

- 1. Dual-band Wi-Fi $^{\rm @}$  with self reset and Bluetooth LE
- 2. Pre-filled with 5000 pages of Original HP Toner
- 3. Mess-free 15-second HP Toner refill system
- 4. HP Wolf Essential security
- 5. 50,000-page imaging drum
- 6. Productivity on-the-go with HP Smart app



# Accessories, Supplies and Support

Supplies	W1540A HP 154A Black Original LaserJet Tank Toner Reload Kit (~2,500 pages)
	W1540X HP 154X Black Original Laser Jet Tank Toner Reload Kit (~5,000 pages)
Service and Support	U04TSE 3 years Return to Depot (available in Adriatic, Africa, CIS, EEM, Israel, Middle East, Russia, South Africa, Turkey)

# **Technical specifications**

Model	HP Laser.let Tank MFP 1602w Printer	
Model		
Product number	ZRIEBA	
Functions	Print, copy, scan	
Control panel Icon LCD; 3 lights (Media, Wifi, Lid open); 10 buttons (WiFi, Down, Menu, Up, Copy, ID copy, Info, Resume, Cancel, Power)		
Print		
Print technology	Laser	
Print speed <sup>1</sup>	Black (A4, normal): Up to 22 ppm	
First page out <sup>2</sup>	Black (A4, ready): As fast as 8.0 sec; Black (A4, sleep): As fast as 8.4 sec	
Print resolution	Black (best): Up to 600 x 600 dpi ; Technology: 600 x 400 dpi; 600 x 600 dpi	
Monthly duty cycle	Up to 25,000 pages A4; Recommended monthly page volume: 250-2500	
Printer smart software features <sup>3,4</sup>	HP Auto- On/Auto- Off, HP Smart App	
Standard print languages	PCLmS; URF; PWG	
Print area	Print margins Top: 2 mm, Bottom: 2 mm, Left: 2 mm, Right: 2 mm; Maximum print area : 215.9 x 355.6 mm	
Duplex printing	Manual (griver support provided)	
Copy Practice Survived Survive		
Copy speed	Black (A4): Up to 22 cpm	
	black (MM), up to 22 chin	
Scan	INC. ALMAND DUE TET DE	
Scan file format	JPEG, RAW(BMP), PNG, TIFF, PDF	
Scanner specifications	Scanner type Flatbed; Scan technology: Contact Image Sensor (CIS); Scan input modes: HP Smart App; and user applications via Twain; Twain version: Version 2.1; Duplex ADF scanning: No; Scan size maximum (flatbed, ADF): 216 x 297 mm; Optical scan resolution: Up to 600 dpi	
Recommended monthly scan volume	150 to 1500	
Scannable area	Maximum media size (flatbed): 216 x 297 mm	
Bit depth/ Grey scale levels	24-bit / 256	
Processor speed	500 MHz	
Connectivity		
Standard	Hi-Speed USB (compatible with USB 2.0 specifications); 802.11a/b/q/n (2.4/5 GHz) Wi-Fi radio + BLE	
Mobile printing capability <sup>5</sup>	HP Smart App; Apple AirPrint <sup>TM;</sup> Mopria <sup>TM;</sup> Certified; Wi-Fi <sup>®</sup> Direct Printing	
Supported network protocols	TCP/IP: IPv4; IPv6; IPD; SLP; Bonjour; WS-Discovery; B00TP/DHCP/AutolP; SNMP v 1/2/3;HTTP/HTTPS; UDP; IPP	
Network capabilities	built-in WFR 802.11b(g/s (2.4/56Hz)	
Memory	Standard 64 M: Maximum, 64 MB SDRAM	
Media handling	יוריתכ נווי איז מאויי, מווי איז איז איז איז איז איז איז איז איז אי	
	Standard: 1; Maximum: 1	
Number of paper trays		
Media types	Plain paper, Heavy paper, Bond paper, Label, Light paper, Envelope	
Media size	Custom (metric): 102 x 152 to 215.9 x 355.6 mm Supported (metric): A6; A5; A4; No. 10 Env; C5 Env; DL Env; B5 Env; B5(JIS); B6 (JIS); 216mm x 340mm; Custom	
Media handling	Standard input: 150 sheet input tray Standard output: 100 sheet output Optional input: envelope and labels	
Media weight	60 to 163 g/m²	
Input capacity	Tray 1: Up to 150 sheets cut sheet or 10 envelope Maximum: Up to 150 sheets	
Output capacity	Standard: Up to 100 sheets Envelopes: Up to 10 envelope Transparencies: No transparency support Maximum: Up to 100 sheets	
Compatible operating systems	Windows 11; Windows 10; Windows 7; macOS 10.15 Catalina; macOS 11 Big Sur; macOS 12 Monterey; Linux	
Compatible network operating systems	Windows Server 2008 R2 64-bit, Windows Server 2008 R2 64-bit (SP1), Windows Server 2012 64-bit, Windows Server 2012 R2 64-bit, Windows Server 2016 64-bit; Linux (For more information see http://developers.hp.com/hp-linux-imaging-and-printing)	
Minimum system requirements	Windows: Microsoft® Windows® 11, 10, 7 SP1: 32-bit or 64-bit, 2 GB available hard disk space, Internet connection, Microsoft® Internet Explorer or Edge.  Mac: Apple® macOS v10.15 Catalina, macOS v11 Big Sur, macOS v12 Monterey; 2 GB HD; Internet required	
Software included	No CD inbox (except Indonesia and China Gov) Downloadable Software from hp.com or 123.hp.com #CD include HP Software Installer, Uninstaller, Uninsta	
Security management	Secure Boot, Secure Firmware Integrity, Runtime Code Integrity, password protected EWS, secure browsing via SSL/TLS 1.0, TLS 1.1, TLS 1.2; TLS 1.0/1.1 disabled by default; OpenSSL version 1.1.1; Enable/disable Network ports; SNMPv1, SNMPv2, and SNMPv3, Community password change; Secure defaults, Encrypted data at rest, Active FW update, Admin password by default, Cipher & TLS selection; Account lockout; Secure Wi-Fi setup	
Printer management	HP Printer Assistant (UDC); HP Device Toolbox; HP Utility (Mac)	
Dimensions and weight		
Printer dimensions (W x D x H)	Minimum 368 X 326 X 255 mm; Maximum: 368 X 390.5 X 255 mm	
Printer weight	7.9 kg	
Operating environment	Temperature: 15 to 32.5°C Humidity. 30 to 70% RH	
Storage conditions	Temperature: -20 to 60°C	
Acoustics	Acoustic power emissions: 6.3 B(A) Acoustic pressure emissions: 50 dB(A)	
Acoustics	Requirements: Printer-110V-RMN : L12543A; Rated Voltage : 110-127V; Rated Current : 5.2A; Frequency : 50/60Hz. Printer-220V-RMN : L12543E; Rated Voltage : 220-240V; Rated Current : 2.9A; Frequency :	
	Requestions. Printer-1104- Rails 1. 112545A, Rated voltage . 110-127 V, Rated Current . 5.2A, Frequency . 50/60Hz. Printer-220V-Rails 1.12545E, Rated voltage . 220-240V, Rated Current . 2.5A, Frequency . 50/60Hz.	
Power	Consumption: Active printing: 390w, Ready: 2.7w, Sleep: 0.51w, Manual Off: 0.05w, Auto Off/Manual On: 0.05w, Auto-Off/Wake on LAN: 0.5w; Typical Electricity Consumption (TEO: Energy Star: 0.194Kwh/week; Blue Angel: 0.203Kwh/week;	
	Power supply type: Internal (Built-in) power supply	
Energy savings feature technology	HP Auto-On/Auto-Off Technology, Instant-on Technology	
	RCM (Australia), TUV and GS Mark (Germany), BSMI (Taiwan), CCC (China), BIS (India), KC (South Korea), SIRIM (Malaysia), Cambodia, Ukraine, EAC, Eastern European approvals, CE Marking, FCC, Energy Star, UL, Paraguay, Chile, Argentina, Indonesia, Sinaopore, Philippines, etc.	
Cortifications	Electromagnetic emission standard: CISPR32:2015 & CISPR 35:2016 /ENS5032:2015 - Class B; EN 61000-3-2:2019; EN 61000-3-3:2013+A1:2019; EN 55035:2017; FCC Title 47 CFR, Part 15 Class B/ICES-003, Issue 6	
Certifications	Blue Angel compliant Yes, Blue Angel DE-UZ 219—only ensured when using Original HP supplies  Telecom compliance: Wireless: EU RED 2014/53/EU; ETSI EN 301 489-1 V.2.2.3 / ETSI EN 301 489-17: V.3.1.1; EN 300 328: V.2.2.2 / EN301 893 V.2.1.1 / EN300 440-1 V.2.1.1; FCC Title 47 CFR, Part 15 Subpart C & E / RSS 247	
	Issue 1, 2015 & RSS 102 Issue 5, 2015; IEC 62311:2007 / EN62311:2008	
Sustainable impact specifications	Recyclable through HP Planet Partners; Contains post-consumer recycled plastic	
Country of origin	Made in Vietnam (WW except Brazil SKU) Made in Brazil (for Brazil SKU only)	
What's in the box'	2R3E8A HP LaserJet Tank MFP 1602w Printer; HP Black Original LaserJet Tank Imaging Drum (introductory ~5000 page black toner yield provided, Power Cord, Setup Guide, Reference Guide, Regulatory/Support Flyers	
Warranty	Up to 3 years extended warranty upon registration within 60 days at www.hp.com/go/lasertank-warranty	
·		

#### Footnotes

- <sup>1</sup> Actual yield varies considerably based on content of printed pages and other factors. Average based on ISO/IEC 19752 and continuous printing. Additional printed pages require toner reload. For details see www.hb.com/go/learnaboutsupplies.
- <sup>2</sup> Toner Reload Kit is not included with the printer; please purchase separately.
- <sup>3</sup> When used in accordance with instructions. Average reload time based on HP internal testing.
- <sup>4</sup> Over 75% plastic reduction is calculated by comparing the weight of the plastic in HP Neverstop Laser 103/143 A/AD and HP Laser NS 108 A/AD Toner Reload Kit and its packaging.
- <sup>5</sup> Requires the HP Smart app download. For details on local printing requirements see http://www.hp.com/go/mobileprinting. Certain features/software are available in English language only and differ between desktop and mobile applications. Subscription may be required; subscription may not be available in all countries. See details at HPSmart.com. Internet access required and must be purchased separately. HP account required for full functionality. List of supported operating systems available in app stores.
- <sup>6</sup> The yield of imaging drum is approximately 50,000 single-sided pages (letter or A4 size paper). There are many factors that determine the actual drum useful life, such as temperature, humidity, type of paper, type of toner used and other variables. The imaging drum unit is replaceable through authorized service provider.

#### Technical specifications disclaimers

- <sup>1</sup> Measured using ISO/IEC 24734, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
- <sup>2</sup> Measured using ISO/IEC 17629. For more information see http://www.hp.com/qo/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
- <sup>3</sup> HP Auto-On/Auto-Off Technology capabilities subject to printer and settings; May require a firmware upgrade.
- <sup>4</sup> Requires the HP Smart app download. For details on local printing requirements see http://www.hp.com/go/mobileprinting. Certain features/software are available in English language only and differ between desktop and mobile applications. Subscription may be required; Subscription may not be available in all countries. See details at: http://www.HPSmart.com. Internet access required and must be purchased separately. HP account required for full functionality. List of supported operating systems available in app stores.
- 5 Mobile device needs to be connected to Wi-Fi Direct® signal of a Wi-Fi Direct.-supported AiO or printer prior to printing. Details at http://www.hp.com/go/mobileprinting. Wi-Fi Direct® is a registered trademark of Wi-Fi Alliance®.
- <sup>8</sup> Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Energy Star value typically based on measurement of
- <sup>7</sup> HP Black Original LaserJet Tank Imaging Drum (introductory ~5,000 page black toner yield provided). For yield information included with your printer, see http://www.hp.com/go/toneryield. Yield values measured in accordance with ISO/IEC 19752 and continuous printing. Actual yields vary considerably based on images printed and other factors.

© Copyright 2022 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

